


GROUND FLOOR PLAN



FIRST FLOOR PLAN

JAYPRO INFRATECH PVT.LTD.

Our Services

Architecture Design
Structure Design
Interior Design
Estimating & Costing
Building Construction With Material


Outer Wall- 10"
Inner Wall- 05"

SCHEDULE OF DOOR & WINDOWS

SP.	L	B	H	SILL H.
D	3'-00"	-	7'-00"	3'-00"
D1	2'-06"	-	7'-00"	3'-00"
W	4'-00"	-	4'-00"	4'-00"
W1	3'-00"	-	4'-00"	4'-00"
V	2'-00"	-	1'-06"	8'-06"

Details Of Stair:-

Celling Height :- 11'
Height Of Riser:- 6.5
Width Of Trade :- 10"
Width Of Stair :- 3'-6"
Width Of Landing :- 3'-6"
Steps Of Stair :- 21



THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED. ALL DIMENSIONS ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.

CLIENT :- Mr.Rajnish chandra sir (Advocate)


PROJECT :- FLOOR PLAN

SCALE:-	1:100	ISSUED	2.8.25
Plan Number:-	01		
Design By	Ar. Soni Kumari		
Checked By	Er. Jayprakash Kumar		
Approved By	Jaypro Infratech Pvt.Ltd.		

Jaypro Infratech Pvt.Ltd.

Office Address: 1st Floor, Pandooi Place, Boring Road, Patna- 80001


Our Services
Architecture Design
Structure Design
Interior Design
Estimating & Costing
Building Construction With Material




THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED. ALL DIMENSIONS ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.



CLIENT :- Mr.Rajnish chandra sir (Advocate)

PROJECT :- Column Layout Details


SCALE:-	1:100	ISSUED	24.07.25
Plan Number:-	01		
Design By	Ar. Soni Kumari		
Checked By	Er. Jayprakash Kumar		
Approved By	Jaypro Infratech Pvt.Ltd.		



JAYPRO INFRATECH PVT. LTD.
Office Address: 1st Floor, Pandooi
Place, Boring Road, Patna- 80001



■ C1-(10"X15")



TECHNICAL NOTES & INSTRUCTIONS:-

- NOTES AND INSTRUCTIONS INDICATED BELOW SHALL BE FOLLOWED WITH DUE RESPONSIBILITY BY ENGINEER IN-CHARGE DURING EXECUTION OF THE PROJECT.
- THE ENGINEER IN-CHARGE SHALL STUDY THE ARCHITECTURAL / STRUCTURAL DRAWINGS OF THE BUILDING / STRUCTURE ENCLOSED, BEFORE EXECUTION AND AMBIGUITY IF ANY NOTICED BY HIM SHALL BE REPORTED TO CONSULTANT FOR NECESSARY ACTION. ALL DIMENSIONS ARE IN MM FOLLOW WRITTEN DIMENSION ONLY.
- ONLY STEEL SHUTTERING / CENTERING SHALL BE USED AT WORK SITE FOR CONSTRUCTION OF R.C.C. FRAMED BUILDING.
- QUALITY AND MIX PROPORTION OF MATERIALS TO BE USED IN CONCRETING I.E. WATER / CEMENT / SAND / CHIPS SHALL BE STRICTLY AS PER DESIGN MIX REPORT.
- THE CRUSHING STRENGTH OF CUBES PREPARED WITH CONC. MIX AT WORK SITE SHALL CONFORM THE ACCEPTANCE CRITERIA AS MENTIONED IN I.S. 456: 2000.
- COVER BLOCK WITH PROPER SIZE & SPECIFIED STRENGTH SHALL BE PROVIDED IN SLAB / BEAM / COLUMN / FOUNDATION BEFORE R.C.C. CASTING @ SPACE NOT EXCEEDING ONE METER C/C.
- COVER BLOCK SHALL BE PROPERLY TIED WITH THE REINFORCEMENT FOR FIXITY DURING
- IN CASE OF PILE FOUNDATION IT IS ESSENTIAL TO HAVE ACTUAL PILE LOAD TEST REPORT ALONG WITH PILE CAPACITY BASED ON SOIL PARAMETERS. SO IT IS INSTRUCTED TO GET THE ACTUAL PILE LOAD TEST REPORT BEFORE EXECUTION AND REPORT TO CONSULTANT FOR REVIEW AND FINAL CONCLUSION.
- IN CASE OF PILE FOUNDATION HAVING HIGH WATER TABLE USE BENTONITE SOLUTION, CASING AND QUICK SETTING CEMENT. THE ENGINEER IN-CHARGE SHALL TAKE FINAL DECISION AS PER ACTUAL SITE CONDITION.
- ALL CONCRETE SHALL BE MACHINE MIXED AND PROPERLY COMPACTED BY VIBRATOR.
- NOMINAL COVER (I.E. CLEAR CONCRETE COVER TO ALL REINFORCEMENTS, INCLUDING LINGS) FOR FOUNDATION = 50, PILE CAP = 75, COLUMN = 40, BEAM = 30 AND SLAB = 25mm SHALL BE PROVIDED.
- PROPER CURING OF R.C.C. SLAB / COLUMN / FOUNDATION / B/W PLASTER ETC. SHALL BE ENSURED.
- PROPER ARRANGEMENT FOR SOAKING OF BRICKS SHALL BE ENSURED BY FIELD ENGRS.
- BEFORE PLACING OF REINFORCEMENT POLYTHENE SHEET SHALL BE SPREAD OVER SHUTTERING TO PREVENT CEMENT SLURRY FROM CONC. MIX.
- BEFORE CASTING REINFORCEMENT PLACED SHALL BE EXACTLY MEASURED BY ENGR INCHARGE.
- L.D% = EFFECTIVE DEVELOP. LENGTH CONSIDERING TENSION 48X BAR DIA.
- L.D% = EFFECTIVE DEVELOP. LENGTH CONSIDERING COMPRESSION 38X BAR DIA.
- LAP SPICE- NOT MORE THAN 50% OF AREA OF STEEL (LONG) IN COLUMN BARS SHALL BE SPICED AT ANY ONE SECTION. LAPPING OR WELDING OF RT. SHALL BE STAGGERED.
- IT SHALL BE WITHIN THE LAPPING ZONE AS SHOWN IN THE DRG. THE LAP LENGTH SHALL NOT BE LESS THAN DEVELOPMENT LENGTH OF ROD AND 30 TIMES DIA OF BAR WHICH IS GREATER.
- LAP SPICE IN BEAM SPAN LESS THAN 12M SHALL BE AVOIDED IN NORMAL CASE. IN LONGER SPAN (L > 12M) LAP SHALL BE PROVIDED AS PER APPROVED STR. DRG.
- ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
- GRID LINE SHOWS CL OF WALLS.
- THE FORM WORK FOR (SPAN < 4M) BEAMS & SLAB SHALL BE SO ASSEMBLED AS TO PROVIDE CAMBER AS FOLLOWS:-
- CAMBER FOR NORMAL BEAMS SHALL BE 1 IN 250 OF THE SPAN OR 4MM PER METER OF SPAN AT THE CENTRAL POINT
- FOR CANTILEVER BEAMS SLAB CAMBER AT THE FREE END SHALL BE SPAN / 50 OF THE PROJECTED LENGTH.
- BEFORE R.C.C. CASTING OF BEAMS/SLAB FORM WORK SHALL BE CHECKED PROPERLY TO AVOID ANY DEFLECTION.
- REMOVAL OF FORM WORK SHALL BE AS PER STRIPPING TIME PRESCRIBED VIDE CL. 11.3 OF I.S. 456-2000 WHICH SHALL BE CHECKED BY E.E./A.E.
- IN FRAME STRUCTURE ALL EXTERNAL STAIR WALL SHALL BE 10" THICK AND INTERNAL WALL SHALL BE 8" THICK EXCEPT MENTIONED.
- NECESSARY ARRANGEMENTS SHALL BE MADE FOR PLINTH PROTECTION OF BUILDING AT LEVEL DECIDED BY E.E. TO AVOID WATER LOGGING AROUND BUILDING THE WIDTH SHALL BE DECIDED AS PER ACTUAL SITE CONDITION BY ENGINEER IN-CHARGE.
- WATER PROOFING COMPOUND SHALL BE USED IN CASTING OF SUNKEN SLAB & TERRACE FLOOR SLAB TO PREVENT SEEPAGE.
- ALL DESIGN MIX CONCRETE OF GRADE M 25 HAVING MINIMUM CEMENT CONTENT 300 kg/m³ Max. W/C = 0.5 FOR COARSE AGGREGATE 20 mm SIZE CASTING SHOULD BE DONE AS PER MIX DESIGN.
- # OR T INDICATES HYSD BARS OF GRADE Fe 300D.
- THIS DRAWING SHALL BE READ WITH THE APPROVED ARCHITECTURAL DRAWINGS.

NOTES:-

- ALL CONCRETE MIX M:25 UNLESS OTHERWISE SPECIFIED.
- ALL TOR STEEL YIELD STRENGTH 500 N/mm².
- CLEAR COVER TO MAIN STEEL 50 MM IN PILES, 40mm IN COLUMN.
- DEPTH OF PILES SHALL BE MEASURED FROM CUT OFF LV / EXISTING G.L. WHICH EVER IS LOWER.
- CUT - OFF LV. OF ALL PILES SHALL BE AT BOTTOM OF PILE CAP ITSELF.
- PILE SHALL BE CASTED 300 ABOVE CUT OFF LV. BECHIPPED OFF UPTO CUT OFF LV.
- 500 MM LENGTH OF MAIN BAR FROM PILE EXTEND BEYOND CUT OFF LV. TO BE EMBEDDED INTO PILE CAPS.
- CENTRE OF PILE GROUP SHALL MATCH WITH CENTER OF COLUMN.

THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF JAYPRO INFRATECH PVT. LTD. PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED. ALL DIMENSIONS ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.

CLIENT :- Mr.Rajnish chandra sir (Advocate)

Design :- PILE & PILE CAP DETAILS

SCALE: 1:100

Plan Number 01

Issue 24.07.2025

Design By Ar. Soni Kumari

Checked By Er. Jayprakash kumar

Approved By Jaypro infratech Pvt. Ltd.

JAYPRO INFRATECH PVT. LTD.
Office Address: 1st Floor, Pandooi Place, Boring Road, Patna- 80001

TYPICAL PILE C/S

PC1

PC2

PC3

PILE DETAILS

Pile	DIA	DEPTH	DIA OF UR	UR	STEEL	RINGS	No. of Piles
	12"	6M	30"	2	5- T12 mm	T8 mm @ 8" c/c	26

PILE CAP DETAILS

Pile Cap	Pile Dia	Pile Cap Size	Pile Cap Depth (inch)	(Bottom Layer Mat)		(Top Layer Mat-Inverted)		Pile Group
				Main Steel (b ') (Lower Level)	Dist. Steel (t ') (Upper Level)	Main Steel (b ') (Upper Level)	Dist. Steel (t ') (Lower Level)	
Pc-1	12"	5'x2'-6"	18"	T10 @ 6" c/c	T10 @ 6" c/c	T10 @ 6" c/c	T10 @ 6" c/c	6- 12" Ø Pile Grp.
Pc-2	12"	4'x2'	18"	T10 @ 6" c/c	T10 @ 6" c/c	T10 @ 6" c/c	T10 @ 6" c/c	4- 12" Ø Pile Grp.
Pc-3	12"	3'x1'-5"x3'-8"x1'-5"	18"	T10 @ 6" c/c	T8 @ 6" c/c	T10 @ 6" c/c	T8 @ 6" c/c	2- 12" Ø Pile Grp.

Follow Now

Insta Id: jaypro_infratech

Facebook Page: jaypro_infratech


E-mail id: info@jayproinfratech.com, www.jayproinfratech.com, Call Now: 9835852462,7277008312,

West

North

East

GROUND FLOOR PLAN





South

TECHNICAL NOTES & INSTRUCTIONS:-

- NOTES AND INSTRUCTIONS INDICATED BELOW SHALL BE FOLLOWED WITH DUE RESPONSIBILITY BY ENGINEER IN-CHARGE DURING EXECUTION OF THE PROJECT.
- THE ENGINEER IN-CHARGE SHALL STUDY IN DEPTH THE ARCHITECTURAL/STRUCTURAL DRAWINGS OF THE BUILDING / STRUCTURE ENCLOSED, BEFORE EXECUTION AND AMBIGUITY IF ANY NOTICED BY HIM SHALL BE REPORTED TO CONSULTANT FOR NECESSARY ACTION. ALL DIMENSIONS ARE IN MM.FOLLOW WRITTEN DIMENSION ONLY.
- ONLY STEEL SHUTTERING / CENTERING SHALL BE USED AT WORK SITE FOR CONSTRUCTION OF R.C.C. FRAMED BUILDING.
- QUALITY AND MIX PROPORTION OF MATERIALS TO BE USED IN CONCRETING I.E. WATER / CEMENT / SAND / CHIPS SHALL BE STRICTLY AS PER DESIGN MIX REPORT.
- THE CRUSHING STRENGTH OF CUBES PREPARED WITH CONC. MIX AT WORK SITE SHALL CONFORM THE ACCEPTANCE CRITERIA AS MENTIONED IN IS: 456: 2000.
- COVER BLOCK WITH PROPER SIZE & SPECIFIED STRENGTH SHALL BE PROVIDED IN SLAB / BEAM / COLUMN / FOUNDATION BEFORE R.C.C. CASTING @ SPACE NOT EXCEEDING ONE METER C/C.
- COVER BLOCK SHALL BE PROPERLY TIED WITH THE REINFORCEMENT FOR FIXITY DURING.
- IN CASE OF PILE FOUNDATION IT IS ESSENTIAL TO HAVE ACTUAL PILE LOAD TEST REPORT ALONG WITH PILE CAPACITY BASED ON SOIL PARAMETERS. SO IT IS INSTRUCTED TO GET THE ACTUAL PILE LOAD TEST REPORT BEFORE EXECUTION AND REPORT TO CONSULTANT FOR REVIEW AND FINAL CONCLUSION.
- IN CASE OF PILE FOUNDATION HAVING HIGH WATER TABLE USE BENTONITE SOLUTION, CASING AND QUICK SETTING CEMENT. THE ENGINEER IN -CHARGE SHALL TAKE FINAL DECISION AS PER ACTUAL SITE CONDITION.
- ALL CONCRETE SHALL BE MACHINE MIXED AND PROPERLY COMPACTED BY VIBRATOR.
- NOMINAL COVER I.E. CLEAR CONCRETE COVER TO ALL REINFORCEMENTS INCLUDING LINKS FOR FOUNDATION + 50, PILE CAP + 75, COLUMN + 40, BEAM + 30 AND SLAB + 25mm. SHALL BE PROVIDED.
- PROPER CURING OF R.C.C. SLAB / COLUMN / FOUNDATION / B/W PLASTER ETC. SHALL BE PROVIDED.
- PROPER ARRANGEMENT FOR SOAKING OF BRICKS SHALL BE ENSURED BY FIELD ENGRS.
- BEFORE PLACING OF REINFORCEMENT POLYTHENE SHEET SHALL BE SPREAD OVER SHUTTERING TO PREVENT CEMENT SLURRY FROM CONC. MIX.
- BEFORE CASTING REINFORCEMENT PLACED SHALL BE ONLY MEASURED BY ENGR INCHARGE.
- LD% EFFECTIVE DEVELOP. LENGTH CONSIDERING TENSION 48X BAR DIA.
- LD% = EFFECTIVE DEVELOP. LENGTH CONSIDERING COMPRESSION 38X BAR DIA.
- LAP SPLICE- NOT MORE THAN 50% OF AREA OF STEEL (LONG) IN COLUMN BARS SHALL BE SPLICED AT ANY ONE SECTION. LAPPING OR WELDING OF RT. SHALL BE STAGGERED. IT SHALL BE WITHIN THE LAPPING ZONE AS SHOWN IN THE DRG. THE LAP LENGTH SHALL NOT BE LESS THEN DEVELOPMENT LENGTH OF 40D AND 30 TIMES DIA OF BAR WHICH IS GREATER.
- LAP SPLICE IN BEAM SPAN LESS THAN 12M SHALL BE AVOIDED IN NORMAL CASE. IN LONGER SPAN (L > 12M) LAP SHALL BE PROVIDED AS PER APPROVED STR. DRG.
- ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
- GRID LINE SHOWS CL OF WALLS.
- THE FORM WORK FOR (SPAN+4M) BEAMS & SLAB SHALL BE SO ASSEMBLED AS TO PROVIDE CAMBER AS FOLLOWS:-
- CAMBER FOR NORMAL BEAMS SHALL BE 1 IN 250 OF THE SPAN OR 4MM PER METER OF SPAN AT THE CENTRAL POINT.
- FOR CANTILEVER BEAMS /SLAB CAMBER AT THE FREE END SHALL BE SPAN / 50 OF THE PROJECTED LENGTH.
- BEFORE R.C.C. CASTING OF BEAMS/SLAB FORM WORK SHALL BE CHECKED PROPERLY TO AVOID ANY DEFLECTION.
- REMOVAL OF FORM WORK SHALL BE AS PER STRIPPING TIME PRESCRIBED VIDE CL. 11.3 OF I.S. 456-2000 WHICH SHALL BE CHECKED BY E.E./A.E.
- IN FRAME STRUCTURE ALL EXTERNAL & STAIR WALL SHALL BE 10"THICK AND INTERNAL WALL SHALL BE 9" THICK EXCEPT MENTIONED.
- NECESSARY ARRANGEMENTS SHALL BE MADE FOR PLINTH PROTECTION OF BUILDING AT LEVEL DECIDED BY E.E. TO AVOID WATER LOGGING AROUND BUILDING THE WIDTH SHALL BE DECIDED AS PER ACTUAL SITE CONDITION BY ENGINEER IN-CHARGE.
- WATER PROOFING COMPOUND SHALL BE USED IN CASTING OF SUNKEN SLAB & TERRACE FLOOR SLAB TO PREVENT SEEPAGE.
- ALL DESIGN MIX CONCRETE OF GRADE M 25 HAVING MINIMUM CEMENT CONTENT 300 kg/m³. Max. W/C = 0.5 FOR COARSE AGGREGATE 20 mm SIZE CASTING SHOULD BE DONE AS PER MIX DESIGN.

NOTES:-2

- ALL DIMENSIONS ARE IN FEET AND INCHES
- ALL CONCRETE MIX M-20 UNLESS OTHERWISE SPECIFIED
- ALL TOR STEEL YIELD STRENGTH 500 N/mm².
- ALL CONCRETE SHALL BE MACHINE MIXED AND MACHINE VIBRATED.
- CLEAR COVER TO MAIN STEEL 40 MM IN PILES, 20mm IN SLAB, 25mm IN BEAM, 40mm IN COLUMN.
- ALL DIMENSIONS ARE TO BE READ NOT TO BE MEASURED.
- ALL DIMENSIONS & DETAILS ARE TO BE VERIFIED WITH THE ARCHITECTURAL DRAWING AMBIGUITY IF ANY SHOULD BE BROUGHT TO THE NOTICE OF THE CONSULTING ENGINEERS.
- WHEREVER SHOWN BEAM BAR SHALL BE ANCHORED INTO COLUMN UP-TO A LENGTH EQUAL TO 50X BAR DIA DISTANCE MEASURED FROM COLUMN FACE
- BARS TO BE CUT & BENT NEAR OPENINGS/POCKETS.




TYP. BEAM SECTION

Rings 8mm@ (5"+8"+5") c/c for all beams


BEAM REINFORCEMENT INDEX

BEAM MKD	SIZE		REINFORCEMENT				STIRRUPS	
			TOP REINF.		BOT. REINF.			
	B	D	TOP.M (t1)	TOP.EXT (t2)	BOT.M (b1)	BOT.EXT (b2)	S1	S2
A1	10"	15"	2-T16	2-T16	3-T16	3-T16	T8@5"/c/c	T8@5"/c/c




TYP. R/F DETAILS

Rings 8mm@ (5"+8"+5") c/c for all beams



TYP. COLUMN BEAM JUNCTION DETAIL



THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED. ALL DIMENSIONS ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.

CLIENT :-

Mr.Rajnish chandra sir (Advocate)

PROJECT :-

GROUND FLOOR TIE BEAM

SCALE: 1:100

Plan Number 01

DATE: 17.10.2024

Design By

Ar. Sori Kumar

Checked By

Er. Jayprakash kumar

Approved By

Jaypro infratech Pvt. Ltd.

JAYPRO INFRATECH PVT. LTD.

Office Address: 1st Floor, Pandooi Place, Boring Road, Patna- 80001

Follow Now
Insta Id: jaypro_infratech
Facebook Page: jaypro_infratech

E-mail id: info@jayproinfratech.com, www.jayproinfratech.com, Call Now: 9835852462,7277008312,


West

North

South

East

FIRST FLOOR PLAN





TECHNICAL NOTES & INSTRUCTIONS:-

- NOTES AND INSTRUCTIONS INDICATED BELOW SHALL BE FOLLOWED WITH DUE RESPONSIBILITY BY ENGINEER IN-CHARGE DURING EXECUTION OF THE PROJECT.
- THE ENGINEER IN-CHARGE SHALL STUDY IN DEPTH THE ARCHITECTURAL/STRUCTURAL DRAWINGS OF THE BUILDING / STRUCTURE ENCLOSED, BEFORE EXECUTION AND AMBIGUITY IF ANY NOTICED BY HIM SHALL BE REPORTED TO CONSULTANT FOR NECESSARY ACTION. ALL DIMENSIONS ARE IN MM.FOLLOW WRITTEN DIMENSION ONLY.
- ONLY STEEL SHUTTERING / CENTERING SHALL BE USED AT WORK SITE FOR CONSTRUCTION OF R.C.C. FRAMED BUILDING.
- QUALITY AND MIX PROPORTION OF MATERIALS TO BE USED IN CONCRETING I.E. WATER / CEMENT / SAND / CHIPS SHALL BE STRICTLY AS PER DESIGN MIX REPORT.
- THE CRUSHING STRENGTH OF CUBES PREPARED WITH CONC. MIX AT WORK SITE SHALL CONFORM THE ACCEPTANCE CRITERIA AS MENTIONED IN IS: 456: 2000.
- COVER BLOCK WITH PROPER SIZE & SPECIFIED STRENGTH SHALL BE PROVIDED IN SLAB / BEAM / COLUMN / FOUNDATION BEFORE R.C.C. CASTING @ SPACE NOT EXCEEDING ONE METER C/C.
- COVER BLOCK SHALL BE PROPERLY TIED WITH THE REINFORCEMENT FOR FIXITY DURING.
- IN CASE OF PILE FOUNDATION IT IS ESSENTIAL TO HAVE ACTUAL PILE LOAD TEST REPORT ALONG WITH PILE CAPACITY BASED ON SOIL PARAMETERS. SO IT IS INSTRUCTED TO GET THE ACTUAL PILE LOAD TEST REPORT BEFORE EXECUTION AND REPORT TO CONSULTANT FOR REVIEW AND FINAL CONCLUSION.
- IN CASE OF PILE FOUNDATION HAVING HIGH WATER TABLE USE BENTONITE SOLUTION, CASING AND QUICK SETTING CEMENT. THE ENGINEER IN -CHARGE SHALL TAKE FINAL DECISION AS PER ACTUAL SITE CONDITION.
- ALL CONCRETE SHALL BE MACHINE MIXED AND PROPERLY COMPACTED BY VIBRATOR.
- NOMINAL COVER I.E. CLEAR CONCRETE COVER TO ALL REINFORCEMENTS INCLUDING LINKS FOR FOUNDATION = 50, PILE CAP = 75, COLUMN = 40, BEAM = 30 AND SLAB = 25mm. SHALL BE PROVIDED.
- PROPER CURING OF R.C.C. SLAB / COLUMN / FOUNDATION / B/W PLASTER ETC. SHALL BE.
- PROPER ARRANGEMENT FOR SOAKING OF BRICKS SHALL BE ENSURED BY FIELD ENGRS.
- BEFORE PLACING OF REINFORCEMENT POLYTHENE SHEET SHALL DE SPREAD OVER SHUTTERING TO PREVENT CEMENT SLURRY FROM CONC. MIX.
- BEFORE CASTING REINFORCEMENT PLACED SHALL BE ONLY MEASURED BY ENGR INCHARGE.
- LD% EFFECTIVE DEVELOP. LENGTH CONSIDERING TENSION 48X BAR DIA.
- LD% = EFFECTIVE DEVELOP. LENGTH CONSIDERING COMPRESSION 38X BAR DIA.
- LAP SPlice- NOT MORE THAN 50% OF AREA OF STEEL (LONG) IN COLUMN BARS SHALL BE SPICED AT ANY ONE SECTION. LAPPING OR WELDING OF RT. SHALL BE STAGGERED.
- IT SHALL BE WITHIN THE LAPPING ZONE AS SHOWN IN THE DRG. THE LAP LENGTH SHALL NOT BE LESS THEN DEVELOPMENT LENGTH AND 30 TIMES DIA OF BAR WHICH IS GREATER.
- LAP SPlice IN BEAM SPAN LESS THAN 12M SHALL BE AVOIDED IN NORMAL CASE. IN LONGER SPAN (L > 12M) LAP SHALL BE PROVIDED AS PER APPROVED STR. DRG.
- ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
- GRID LINE SHOWS CL OF WALLS.
- THE FORM WORK FOR (SPAN+4M) BEAMS & SLAB SHALL BE SO ASSEMBLED AS TO PROVIDE CAMBER AS FOLLOWS:-
- CAMBER FOR NORMAL BEAMS SHALL BE 1 IN 250 OF THE SPAN OR 4MM PER METER OF SPAN AT THE CENTRAL POINT.
- FOR CANTILEVER BEAMS /SLAB CAMBER AT THE FREE END SHALL BE SPAN / 50 OF THE PROJECTED LENGTH.
- BEFORE R.C.C. CASTING OF BEAMS/SLAB FORM WORK SHALL BE CHECKED PROPERLY TO AVOID ANY DEFLECTION.
- REMOVAL OF FORM WORK SHALL BE AS PER STRIPPING TIME PRESCRIBED VIDE CL. 11.3 OF I.S. 456-2000 WHICH SHALL BE CHECKED BY E.E./A.E.
- IN FRAME STRUCTURE ALL EXTERNAL STAIR WALL SHALL BE 10"THICK AND INTERNAL WALL SHALL BE 9" THICK EXCEPT MENTIONED.
- NECESSARY ARRANGEMENTS SHALL BE MADE FOR PLINTH PROTECTION OF BUILDING AT LEVEL DECIDED BY E.E. TO AVOID WATER LOGGING AROUND BUILDING THE WIDTH SHALL BE DECIDED AS PER ACTUAL SITE CONDITION BY ENGINEER IN-CHARGE.
- FLOOR SLAB TO PREVENT SEEPAGE. ALL DESIGN MIX CONCRETE OF GRADE M 25 HAVING MINIMUM CEMENT CONTENT 300 kg/m³. Max. W/C = 0.5 FOR COARSE AGGREGATE 20 mm SIZE CASTING SHOULD BE DONE AS PER MIX DESIGN.
- # OR T INDICATES HYSD BARS OF GRADE Fe 500D.
- THIS DRAWING SHALL BE READ WITH THE APPROVED ARCHITECTURAL DRAWINGS.

NOTES:-2

- ALL DIMENSIONS ARE IN FEET AND INCHES
- ALL CONCRETE MIX M-20 UNLESS OTHERWISE SPECIFIED
- ALL TOR STEEL YIELD STRENGTH 500 N/mm²
- ALL CONCRETE SHALL BE MACHINE MIXED AND MACHINE VIBRATED.
- CLEAR COVER TO MAIN STEEL 40 MM IN PILES, 20mm IN SLAB, 25mm IN BEAM, 40mm IN COLUMN.
- ALL DIMENSIONS ARE TO BE READ NOT TO BE MEASURED.
- ALL DIMENSIONS & DETAILS ARE TO BE VERIFIED WITH THE ARCHITECTURAL DRAWING AMBIGUITY IF ANY SHOULD BE BROUGHT TO THE NOTICE OF THE CONSULTING ENGINEERS.
- WHEREVER SHOWN BEAM BAR SHALL BE ANCHORED INTO COLUMN UP-TO A LENGTH EQUAL TO 50X BAR DIA DISTANCE MEASURED FROM COLUMN FACE.
- BARS TO BE CUT & BENT NEAR OPENINGS/POCKETS.




TYP. BEAM SECTION

Rings 8mm@ (5"+8"+5") c/c for all beams


BEAM REINFORCEMENT INDEX

BEAM MKD	SIZE		REINFORCEMENT				STIRRUPS	
			TOP REINF.		BOT. REINF.			
	B	D	TOP.M (t1)	TOP.EXT (t2)	BOT.M (b1)	BOT.EXT (b2)	S1	S2
A1	10"	15"	2-T16	2-T16	3-T16	3-T16	T8@5"c/c	T8@5"c/c




TYP. R/F DETAILS

Rings 8mm@ (5"+8"+5") c/c for all beams



TYP. COLUMN BEAM JUNCTION DETAIL



T = Slab Thickness
W = Beam Width= 10"
CONC. BEAM

ALL BEAMS ARE 10"x15" OTHERWISE NOTED

THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED. ALL DIMENSIONS ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.

CLIENT :-

Mr.Rajnish chandra sir (Advocate)

PROJECT :-

FIRST FLOOR SLAB BEAM

SCALE: 1:100

Plan Number 01

DATE 17.10.2024

DESIGN

Design By Ar. Sori Kumar

Checked By Er. Jayprakash kumar

Approved By Jaypro infratech Pvt. Ltd.



JAYPRO INFRATECH PVT. LTD.

Office Address: 1st Floor, Pandooi Place, Boring Road, Patna- 80001

Follow Now
Insta Id: jaypro_infratech
Facebook Page: jaypro_infratech

E-mail id: info@jayproinfratech.com, www.jayproinfratech.com, Call Now: 9835852462,7277008312,

West

West

South

North

South

North

East

East


FIRST FLOOR PLAN

GROUND FLOOR PLAN

SLAB	MAIN (Shorter Span-A)		Distr. (Longer Span-B)		SLAB TYPE
	ROD (dia)	SPACING	ROD (dia)	SPACING	
S-1	T10 mm	6" c/c	T8 mm	6" c/c	CRANK
S-2	T8 mm	6" c/c	T8 mm	6" c/c	CRANK
S-3	T8 mm	6" c/c	T8 mm	6" c/c	Double Lyr.

- NOTES:-**
1. ALL DIMENSIONS ARE IN IN FEET AND INCHES
 2. ALL CONCRETE MIX M:20 UNLESS OTHERWISE SPECIFIED.
 3. ALL TOR STEEL YIELD STRENGTH 500 N/mm .
 4. ALL CONCRETE SHALL BE MACHINE MIXED AND MACHINE VIBRATED.
 5. CLEAR COVER TO MAIN STEEL 40 MM IN PILES, 20mm IN SLAB, 25mm IN BEAM, 40mm IN COLUMN.
 6. ALL DIMENSIONS ARE TO BE READ NOT TO BE MEASURED.
 7. ALL DIMENSIONS & DETAILS ARE TO BE VERIFIED WITH THE ARCHITECTURAL DRAWING AMBIGUITY IF ANY SHOULD BE BROUGHT TO THE NOTICE OF THE CONSULTING ENGINEERS.
 8. ALL DISTRIBUTION BARS WHEREVER REQUIRED BUT NOT CALLED OUT SHALL BE 8Tor @250C/C.
 9. THIS DRAWING SHALL BE READ WITH ARCHITECTURAL DRAWINGS.
 10. WHEREVER SHOWN BEAM BAR SHALL BE ANCHORED INTO COLUMN UPTO A LENGTH EQUAL TO 50X BAR DIA DISTANCE MEASURED FROM COLUMN FACE

- TECHNICAL NOTES & INSTRUCTIONS:-**
- 1) NOTES AND INSTRUCTIONS INDICATED BELOW SHALL BE FOLLOWED WITH DUE RESPONSIBILITY BY ENGINEER IN-CHARGE DURING EXECUTION OF THE PROJECT.
 - 2) THE ENGINEER IN-CHARGE SHALL STUDY IN DEPTH THE ARCHITECTURAL/ STRUCTURAL DRAWINGS OF THE BUILDING/ STRUCTURE ENCLOSED BEFORE EXECUTION AND AMBIGUITY IF ANY NOTICED BY HIM SHALL BE REPORTED TO CONSULTANT FOR NECESSARY ACTION.
 - 3) ALL DIMENSIONS ARE IN MM FOLLOW WRITTEN DIMENSION ONLY.
 - 4) ONLY STEEL SHUTTERING / CENTERING SHALL BE USED AT WORK SITE FOR CONSTRUCTION OF R.C.C. FRAMED BUILDING.
 - 5) QUALITY AND MIX PROPORTION OF MATERIALS TO BE USED IN CONCRETING I.E. WATER / CEMENT / SAND / CHIPS SHALL BE STRICTLY AS PER DESIGN MIX REPORT.
 - 6) THE CRUSHING STRENGTH OF CUBES PREPARED WITH CONC. MIX AT WORK SITE SHALL CONFORM THE ACCEPTANCE CRITERIA AS MENTIONED IN IS 456: 2000.
 - 7) COVER BLOCK WITH PROPER SIZE & SPECIFIED STRENGTH SHALL BE PROVIDED IN SLAB / BEAM / COLUMN FOUNDATION BEFORE R.C.C. CASTING @ SPACE NOT EXCEEDING ONE METER C.C.
 - 8) COVER BLOCK SHALL BE PROPERLY TIED WITH THE REINFORCEMENT FOR FIXITY DURING CONCRETING.
 - 9) IN CASE OF PILE FOUNDATION IT IS ESSENTIAL TO HAVE ACTUAL PILE LOAD TEST REPORT ALONG WITH PILE CAPACITY BASED ON SOIL PARAMETERS. SO IT IS INSTRUCTED TO GET THE ACTUAL PILE LOAD TEST REPORT BEFORE EXECUTION AND REPORT TO CONSULTANT FOR REVIEW AND FINAL CONCLUSION.
 - 10) IN CASE OF PILE FOUNDATION HAVING HIGH WATER TABLE USE BENTONITE SOLUTION, CASING AND QUICK SETTING CEMENT. THE ENGINEER IN-CHARGE SHALL TAKE FINAL DECISION AS PER ACTUAL SITE CONDITION.
 - 11) ALL CONCRETE SHALL BE MACHINE MIXED AND PROPERLY COMPACTED BY VIBRATOR.
 - 12) NOMINAL COVER (I.E. CLEAR CONCRETE COVER TO ALL REINFORCEMENTS, INCLUDING LAPPING FOR FOUNDATION = 50; PILE CAP = 75; COLUMN = 40; BEAM = 30 AND SLAB = 25mm) SHALL BE PROVIDED.
 - 13) PROPER CURING OF R.C.C. SLAB / COLUMN / FOUNDATION / B/W PLASTER ETC. SHALL BE ENSURED BY FIELD ENGINEER.
 - 14) BEFORE PLACING OF REINFORCEMENT POLYTHENE SHEET SHALL BE SPREAD OVER SHUTTERING TO PREVENT CEMENT SLURRY FROM CONC. MIX.
 - 15) BEFORE CASTING OF REINFORCEMENT PLACES SHALL BE EXACTLY MEASURED BY ENGINEER IN-CHARGE.
 - 16) L.D.C = EFFECTIVE DEVELOP. LENGTH CONSIDERING TENSION 48X BAR DIA.
 - 17) L.D.T = EFFECTIVE DEVELOP. LENGTH CONSIDERING TENSION 48X BAR DIA.
 - 18) L.D.C = EFFECTIVE DEVELOP. LENGTH CONSIDERING COMPRESSION 38X BAR DIA.
 - 19A) LAP SPICE: NOT MORE THAN 80% OF AREA OF STEEL (LONG) IN COLUMN BARS SHALL BE SPICED AT ANY ONE SECTION, LAPPING OR WELDING OF RT. SHALL BE STAGGERED.
 - 19B) IT SHALL BE WITHIN THE LAPPING ZONE AS SHOWN IN THE DRG. THE LAP LENGTH SHALL NOT BE LESS THAN DEVELOPMENT LENGTH OF ROD AND 30 TIMES DIA. OF BAR WHICHEVER IS GREATER.
 - 19C) LAP SPICE IN BEAM SPAN LESS THAN 10M SHALL BE AVOIDED IN NORMAL CASE. IN LONGER SPAN > 10M LAP SHALL BE PROVIDED AS PER APPROVED STR. DRG.
 - 20) ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
 - 21) DEDLINE SHOWS C.C. OF WALLS.
 - 22) THE FORM WORK FOR (SPAN > 4M) BEAMS & SLAB SHALL BE SO ASSEMBLED AS TO PROVIDE CAMBER AS FOLLOWS:-
 - 23) CAMBER FOR NORMAL BEAMS SHALL BE 1 IN 250 OF THE SPAN OR 4MM PER METER OF SPAN AT THE CENTRAL POINT.
 - 24) FOR CANTILEVER BEAMS /SLAB CAMBER AT THE FREE END SHALL BE . SPAN / 50 OF THE PROJECTED LENGTH.
 - 25) BEFORE R.C.C. CASTING OF BEAMS/SLAB FORM WORK SHALL BE CHECKED PROPERLY TO AVOID ANY DEFLECTION.
 - 26) REMOVAL OF FORM WORK SHALL BE AS PER STRIPPING TIME PRESCRIBED VIDE CL. 11.3 OF I.S. 456:2000 WHICH SHALL BE CHECKED BY E.E./A.E.
 - 27) IN FRAME STRUCTURE ALL EXTERNAL STAIR WALL SHALL BE 10"THICK AND INTERNAL WALL SHALL BE 7" THICK, EXCEPT MENTIONED.
 - 28) NECESSARY ARRANGEMENTS SHALL BE MADE FOR PLUNTH PROTECTION OF BUILDING AT LEVEL DECIDED BY E.E. TO AVOID WATER LEAKING AROUND BUILDING THE WIDTH SHALL BE DECIDED AS PER ACTUAL SITE CONDITION BY ENGINEER IN-CHARGE.
 - 29) WATER PROOFING COMPOUND SHALL BE USED IN CASTING OF SUNKEN SLAB TERRACE FLOOR SLAB TO PREVENT SEEPAGE.
 - 30) ALL DESIGN MIX CONCRETE OF GRADE M 25 HAVING MINIMUM CEMENT CONTENT 300 kg/m³. Max. W/C = 0.5 FOR CONCRETE ADOPTED 20 mm SIZE CASTING SHOULD BE DONE AS PER MIX DESIGN.
 - 31) Ø OR T INDICATES HYDRO BARS OF GRADE IN 6000.
 - 32) THIS DRAWING SHALL BE READ WITH THE APPROVED ARCHITECTURAL DRAWINGS.



THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED. ALL DIMENSIONS ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.

CLIENT : - Mr.Rajnish chandra sir (Advocate)

PROJECT : - SLAB REINF.. DETAIL

SCALE : 1:100
Plan Number 09
ISSUED 13.07.25

Design By Er. Kumari Neha Ranjan

Checked By Er. Jayprakash kumar

Approved By Jaypro infratech Pvt. Ltd.





JAYPRO INFRATECH PVT. LTD.

Office Address: 1st Floor, Pandooi Place, Boring Road, Patna- 800001

Follow Now
Insta Id: jaypro_infratech
Facebook Page: jaypro_infratech

E-mail id: jayproinfratech@gmail.com, www.jayproinfratech.com, Call Now: 9835852462,7277008312,




JAYPRO INFRATECH PVT.LTD.

Our Services

Architecture Design
Structure Design
Interior Design
Estimating & Costing
Building Construction With Material

LEGEND


SYMBOL	DESCRIPTION	HEIGHT
	CEILING FAN	ON CEILING
	CHANDELEAR LIGHT POINT	ON CEILING
	40Wx40" TUBE LIGHT FITTING	8'6"
	BLUB	8'6"
	NIGHT BLUB	8'6"
	C.F.L.	ON CEILING
	SPORT LIGHT	ON CEILING
	CEILING LIGHT	ON CEILING
	FLASH JUNCTION BOX	ON CEILING
	SWITCH BOARD	4'6" HT
	BED SWITCH	2'6" HT
	TWO WAY SWITCH	ON SWITCH
	5 AMPS SWITCH SOEKET	1'6" HT
	15 AMPS SWITCH SOEKET	1'6" HT
	25 AMPS SWITCH SOEKET (A.C)	1'6" HT
	CALL BELL BUZZER	1'6" HT
	CALL BELL PUSH	4'6" HT
	OUT LET FOR TELEPHONE	1'6" HT
	OUT LET FOR TV	1'6" HT
	EXHAUST FAN (IN TOI & KIT)	
	TABLE LAMP	
	ROOT OF TV TELEPHONE WIRING	
	ROOT OF POINT WIRING (25MM)	
	ROOT OF POINT WIRING (19MM)	
	ROOT OF CIRCUIT WIRING (19MM)	
	ROOT OF SUB MAIN WIRING (25MM)	
	WALL FAN	
	DISTRIBUTION BOARD	
	METERING PANAL	



THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE PROPERTY OF PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED. ALL DIMENSIONS ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.

CLIENT :- Mr.Rajnish chandra sir (Advocate)

PROJECT :- Electric design

SCALE:-	1:100	ISSUED	3.07.25
Plan Number:-	11		
Design By	Ar. Soni Kumari		
Checked By	Er. Jayprkash Kumar		
Approved By	Jaypro Infratech Pvt.Ltd.		

Jaypro Infratech Pvt.Ltd.

Office Address: 1st Floor, Pandooi Place, Boring Road, Patna- 80001

Follow Now :-

You Tube :- jaypro_infratech
Facebook Page :- jaypro_infratech
Insta Id :- jaypro_infratech

E-Mail Id :- info@jayproinfratech.com,www.jayproinfratech.com,Call No:- 9835852462,7277008312,